

Certificate of Analysis

HALF FRASER (DEMI-FRASER) BROTH

Lot No: 206857

Catalogue No. FBH002/FBH005 Exp. Date: Mar 16, 2021

PHYSICAL CHARACTERISTICS

<u>SPECIFICATION</u> <u>EXPECTED RESULTS</u> <u>ACTUAL RESULTS</u>

<u>Dehydrated</u>: Appearance Homogenous, free-flowing powder Homogenous, free-flowing powder

Color Beige Beige

Prepared: Clarity Clear Clear

Color Yellow Yellow

Precipitate None to Slight None to Slight

<u>pH</u>: $7.2 \pm 0.2 \otimes 25^{\circ}$ C $7.2 \pm 0.2 \otimes 25^{\circ}$ C

CULTURAL RESPONSE – tested in compliance to ISO 11133:2014 (Fertility and Selectivity Testing)

The medium was prepared according to label directions and 10mL volumes inoculated with the organisms listed below. Cultures were incubated at 30 ± 1 °C under aerobic atmosphere and examined for growth at 22-26 hours. Following incubation, 10μ L of *E. faecalis* and *E. coli* cultures were subcultured onto TSA at 37 ± 1 °C and examined for growth at 22-26 hours.

		APPROX.	EXPECTED RESULTS		ACTUAL RESULTS			
MICROORGANISM	ATCC	INOCULUM (CFU)	Growth in HF	Reaction in HF	Recovery on TSA	Growth in HF	Reaction in HF	Recovery on TSA
Enterococcus faecalis	29212	> 10 ³	Partial to Complete Inhibition	_	< 100 cfu	Med	ets Expected	Result
Enterococcus faecalis	19433	> 10 ³	Partial to Complete Inhibition	_	< 100 cfu	Meets Expected Result		
Escherichia coli	25922	> 10 ³	Inhibition	_	< 10 cfu	Meets Expected Result		
Escherichia coli	8739	> 10 ³	Inhibition	_	< 10 cfu	Meets Expected Result		
Listeria innocua	33090	10-100	Growth	Blackening	NA	Meets Expected Result		
Listeria monocytogenes	35152	10-100	Growth	Blackening	NA	Meets Expected Result		
Listeria monocytogenes	13932	10-100	Growth	Blackening	NA	Meets Expected Result		

(Productivity Testing)

The medium was prepared according to label directions and 10mL volumes inoculated as a mixed culture using the organisms listed below. Cultures were incubated at $30 \pm 1^{\circ}\text{C}$ under aerobic atmosphere for 22-26 hours followed by subculture onto Listeria Agar* at $37 \pm 1^{\circ}\text{C}$ and plates examined for growth at 40-48 hours.

			EXPECTED	RESULTS	ACTUAL RESULTS	
Mixed Culture Testing	ATCC	APPROX. INOCULUM (CFU)	Recovery on Listeria Agar*	Reaction on Listeria Agar*	Recovery on Listeria Agar*	Reaction on Listeria Agar*
Enterococcus faecalis +	29212	> 10 ³	Inhibited		Meets Expe	ected Result
Escherichia coli +	25922	$>10^{3}$	Inhibited		Meets Expe	ected Result
Listeria monocytogenes	35152	10-100	>10 cfu	Blue colonies with opaque halo	Meets Expe	ected Result
Enterococcus faecalis +	19433	> 10 ³	Inhibited	_	Meets Expe	ected Result
Escherichia coli + Listeria monocytogenes	8739 13932	>10 ³ 10-100	Inhibited >10 cfu	Blue	Meets Expected Result Meets Expected Result	
				colonies with opaque halo	1	

^{*}according to Ottaviani and Agosti

ANIMAL DERIVED MATERIAL COUNTRY OF ORIGIN INFORMATION

ANIMAL DERIVED MATERIAL	TISSUE SOURCE/ RISK CATEGORY*	ANIMAL SPECIES	<u>COUNTRY OF</u> <u>ORIGIN</u>	CERTIFICATE OF SUITABILITY
Animal Tissue	Lung / B*	Bovine	Australia, New Zealand	N/A
Casein	Milk/ B*	Bovine	New Zealand, Australia	N/A
Enzyme	Pancreas/ NA**	Porcine	United States, Canada	N/A
Beef Extract	Skeletal Muscle/Bone/ B*	Bovine	United States, New Zealand	R1-CEP 2001-299

^{*} Risk Categories as defined by the European Pharmacopeia.

Product was tested in compliance to the regulation noted above. Where a regulation is not referenced, standard test methods were observed. Variances in data may occur. External factors such as adverse storage conditions or contamination of product may cause loss in performance. Solus Scientific certifies that this lot met all quality control specifications for this product.

Gillian Bradley - Quality Manager

Date: Friday, March 27, 2019

Solus Scientific Solutions Ltd

Registered Address: East Kilbride Laboratory, Torus Building, Rankine Avenue, East Kilbride, Glasgow, Lanarkshire G75 0QF Company Reg. No. SC361616, Registered in Scotland VAT No 982 2304 24

^{**} Not Applicable. "Non-TSE-relevant animal species."