

## Certificate of Analysis

**Product Code:** SAL-0480S  
**Product:** Solus *Salmonella* ELISA (5 plate)  
**LOT/Batch:** ES135  
**Date of Manufacture/Test:** 10.09.2018  
**Expiry Date:** 09.09.2019

This batch has been quality control tested to the following criteria:

Batch homogeneity CV%: <10%  
 A panel of 8 non- *Salmonella* sp.: Satisfactory  
 A panel of 19 *Salmonella* sp.: Satisfactory

### Performance of In house Reference Standards

Sample	Net Signal OD	OD Specification
B6 <i>Salmonella</i> Enteritidis 10 <sup>6</sup> per ml	2.307	> 1.000
B6 <i>Salmonella</i> Enteritidis 10 <sup>7</sup> per ml	>2.500	>2.000
B7 <i>Salmonella</i> Typhimurium 10 <sup>6</sup> per ml	1.439	>0.750
B7 <i>Salmonella</i> Typhimurium 10 <sup>7</sup> per ml	>2.500	>2.000

Net Optical Densities of samples grown in RVS at 41.5°C for 24 hours and boiled at 85-100°C for 20 minutes

	1	2	3	4
A	Negative control 0.031	<i>Klebsiella pneumonia</i> 0.042	<i>Salmonella</i> Montevideo >2.500	<i>Salmonella arizonae</i> NCTC 7349 – 0.285
B	Positive control >2.500	<i>Shigella sonnei</i> 0.047	<i>Salmonella</i> Goldcoast >2.500	<i>Salmonella</i> Nitra >2.500
C	Substrate blank 0.058	<i>Serratia liquifaciens</i> 0.044	<i>Salmonella</i> Essen >2.500	<i>Salmonella</i> Livingstone >2.500
D	<i>Staph. aureus</i> 0.046	<i>Salmonella</i> Heves >2.500	<i>Salmonella</i> Typhimurium >2.500	<i>Salmonella</i> Ealing 0.761
E	<i>Citrobacter freundii</i> 0.019	<i>Salmonella</i> Seftenburg >2.500	<i>Salmonella</i> Enteritidis >2.500	<i>Salmonella</i> Brazil 2.162
F	<i>Serratia marcescens</i> 0.023	<i>Salmonella</i> Poona >2.500	<i>Salmonella</i> Dublin >2.500	<i>Salmonella</i> Kirkee 1.988
G	<i>E. coli</i> 0.044	<i>Salmonella</i> Nottingham >2.500	<i>Salmonella</i> Anatum >2.500	Absorbances read at 450nm
H	<i>Proteus mirabilis</i> 0.017	<i>Salmonella</i> Aberdeen >2.500	<i>Salmonella</i> Adelaide 1.165	

Production Batch is approved for release as it gives satisfactory QC performance.

Signed: Operations director/~~Technical director~~/CEO

Date:

 18/9/18

**Solus Scientific Solutions Ltd**

9 Mansfield Networkcentre, Millennium Business Park, Concorde Way, Mansfield, Nottinghamshire NG19 7JZ  
 Tel +44 (0)1623 429701 Fax +44 (0)1623 620977 Email enquiries@solusscientific.com  
 Web www.solusscientific.com

**Registered Address:** East Kilbride Laboratory, Torus Building, Rankine Avenue, East Kilbride, Glasgow, Lanarkshire G75 0GF Company Reg. No. SC361616, Registered in Scotland VAT No 982 2304 24